

Institution Zone Configuration

Below are the recommended configuration settings for WRLC Institution Zones.

Configuration Area	Configuration Page	Parameter	Value	Notes
Resources	General > Other Settings	non_serial_match_profile	com.exlibris.repositor y.mms.match.CDLMa tchingProfile	Value must be the same in both the NZ and the IZ. For more information, see <i>Match Profile in the Metadata Editor</i> page.
Resources	General > Other Settings	serial_match_profile	com.exlibris.repositor y.mms.match.CDLSe MatchingProfile	Value must be the same in both the NZ and the IZ. For more information, see the <i>Match Profile in the Metadata Editor</i> page.
Resources	General > Other Settings	network_description_t emplates_rules_prece dence	true	For more information, see the <i>Item Description Templates</i> page.
Discovery	Other > Customer Settings	holdings_fields_displa y_in_locations_list_vie w	true	For more information, see the <i>Recommendations for Primo Configuration</i> section of the <i>Recommendations for Print Periodicals</i> page.

General	External Systems > Integration Profiles	Proxy Integration Profile (code = PROXY_DEFAULT)	This specific integration profile should be the proxy used for shared electronic resources.	For more information on this configuration, see the <i>Configuration of Shared Electronic Collections in the Network Zone</i> page. For a full list of WRLC shared electronic collections, see the <i>Shared Electronic Collections</i> page.
---------	---	--	---	---

Revision #3
Created 25 January 2024 14:42:40 by Jackie Saavedra
Updated 26 January 2024 20:01:06 by Jackie Saavedra